















<p><b>SEQ-CM804CA</b> Waterproof Color <b>IR 15M</b></p>		<p><b>** 1/3" OmniVision CMOS; **Build-in Lens:3.6mm **High Resolution 380 TVL, **Mini Illumination: 0Lux **IR Distance: 15M, **30pcs IR LEDs, **Angular Field of View: 45° (f=6mm) **Electronic Shutter:1/50(1/60)~1/100,000sec **Back light Compensation (BLC), AGC; **Dimensions(mm):67(D) x 135(H) **Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$142.00</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-903CH</b> <b>CCD Color</b></p>		<p><b>** 1/3 Sony CCD; **Build-in Lens:6mm(Optional) **High Resolution 480 TVL, **Minimum illumination: 0.8Lux/F1.2 **Auto Gain Control (AGC), Auto Electronic Shutter **Back light Compensation (BLC), **Dimensions(mm):60(D) x 138(H) **Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$175.00</b></p>	
<p><b>SEQ-808CH</b> <b>CCD Color</b></p>		<p><b>** 1/4 Sharp CCD; **Build-in Lens:8mm(Optional) **High Resolution 480 TVL, **Minimum illumination: 1Lux/F1.2 **Auto Gain Control (AGC), Auto Electronic Shutter **Back light Compensation (BLC), **Dimensions(mm):52(D) x 114(H) **Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$159.00</b></p>	
<p><b>SEQ-5401</b> Waterproof Color <b>IR 30M</b></p>		<p><b>**Color 1/4" SHARP, **High Resolution:620 TVL; **Minimum illumination: 0 Lux/F1.4 **Lens: 4-9mm Manual Zoom Lens; **36 IR LEDs, **IR distance 30m ; **CDS Auto Control **Auto White Balance **Dimensions(mm):200x171x83 **Power Supply DC12V 400mA</b></p>	<p><b>Include Camera Adapter (cUL) &amp; Bracket</b></p>	<p><b>\$189.50</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-5201</b> Waterproof Color <b>IR 20M</b></p>		<p><b>**Color 1/4" SHARP, **High Resolution:620 TVL; **Minimum illumination: 0 Lux/F1.4 **Build-in Lens: 3.6mm; **24 IR LEDs, **IR distance 20m ; **CDS Auto Control **Auto White Balance **Dimensions(mm):100(W) x77(H) x77(D) **Power Supply DC12V 400mA</b></p>	<p><b>Include Camera Adapter (cUL) &amp; Bracket</b></p>	<p><b>\$121.50</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-5203</b> Waterproof Color <b>IR 40M</b></p>		<p><b>**Color 1/4" SHARP, **High Resolution:620 TVL; **Minimum illumination: 0 Lux/F1.4 **Build-in Lens: 6mm; **48 IR LEDs, **IR distance 40m ; **CDS Auto Control **Auto White Balance **Dimensions(mm):175(W) x 124(H) x 83(D) **Power Supply DC12V 500mA</b></p>	<p><b>Include Camera Adapter (cUL) &amp; Bracket</b></p>	<p><b>\$109.00</b></p>	<p><b>KR COMPUTER</b></p>
<b>Indoor &amp; Wireless Camera</b>					
<p><b>SEQCM802CA</b> Color Day &amp; <b>Night</b></p>		<p><b>** 1/3" OmniVision CMOS **Built-in Lens: 6mm **High Resolution:380 TVL **IR LEDs 30PCS, IR distance: 18-20M **NTSC: 510 x 492 pixel **Video output: 75 Ohms / 1.0 Vp-p **Signal to Noise Ratio: &gt; 48 dB **White Balance: &gt; 0.45 **Visual angle: 54° **Power Supply DC12V 500mA</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$134.00</b></p>	
<p><b>SEQCM802CHA</b> Color Day &amp; <b>Night</b></p>		<p><b>**Color 1/4" Sharp CCD; Built-in Lens: 6mm **High Resolution:420 TVL **IR LEDs 30PCS, IR distance: 18-20M **Minimum illumination: 0 Lux **Solar cell automatically adjusts to day/night **NTSC: 510 x 492 pixel **Video output: 75 Ohms / 1.0 Vp-p **White Balance: &gt; 0.45 **Power Supply DC12V 500mA</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$145.00</b></p>	

<p><b>SEQW208E1</b> 2.4GHz Wireless</p>		<p><b>**1/3" OmnVision CMOS</b>    <b>** Build-in Lens:4mm</b>  <b>**Horizontal Definition: 380TV Line</b>  <b>**Angular Field of View: 45° (f=6mm)</b>  <b>**Mini Illumination: 3.0Lux(F1.2)</b>  <b>**Transmission Freq:ISM 2,400~2,483 MHz 4CH</b>  <b>**Modulation Mode:FM</b>  <b>**Unobstructed Effective Range:100m(Without Block)</b>    <b>**Dimension(mm): 42x35x53</b>  <b>**Power Supply DC 8V/500mA</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$97.00</b></p>	
<p><b>SEQ-CM280</b></p>		<p>Wireless Car rearview System</p>		<p><b>\$159.00</b></p>	
<p><b>SEQ-LC12R4</b></p>		<p>2.4G 4-channel wireless receiver 4 CMOS indoor mini camera with audio</p>		<p><b>\$299.00</b></p>	
<p><b>SEQ-9001</b></p>		<p>Video Intercome Door Phone w/ Camera Kit  <b>**Auto turn off, can be used with 64 image record &amp; player</b>  <b>**Screen: 4 inch flat CRT;</b>  <b>**Resolution:420lines</b></p>		<p><b>\$197.50</b></p>	
<b>Dome Camera</b>					
<p><b>SEQCM303CHD</b> Wired Camera</p>		<p><b>**1/4 Sharp CCD;</b>    <b>**Build-in Lens:3.6mm</b>  <b>**High Resolution540 TVL,</b>  <b>**Minimum illumination: 1Lux/F1.2</b>  <b>**Angular Field of View: 35° (f=8mm)</b>  <b>**Auto Gain Control (AGC), Auto Electronic Shutter</b>  <b>**Back light Compensation (BLC),</b>  <b>**Dimensions(mm):Ø118 x 83</b>  <b>**Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$119.00</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-402CH</b> Wired Camera</p>		<p><b>**1/3 Sony CCD;</b>    <b>**Build-in Lens:6mm</b>  <b>**High Resolution 480 TVL,</b>  <b>**Minimum illumination: 0Lux</b>    <b>**24 IR LEDs,</b>  <b>**Auto Gain Control (AGC), Auto Electronic Shutter</b>  <b>**Back light Compensation (BLC),</b>  <b>**Dimensions(mm):90 x 154</b>    <b>**IR distance: 18-20m</b>  <b>**Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$149.00</b></p>	
<p><b>SEQ-CM405CH</b> Wired Camera</p>		<p><b>**1/4 Sharp CCD;</b>    <b>**Build-in Lens:3.6mm</b>  <b>**High Resolution 480 TVL,</b>    <b>Auto LED Switch</b>  <b>**Minimum illumination: 1Lux</b>    <b>**10 IR LEDs,</b>  <b>**Auto Gain Control (AGC), Auto Electronic Shutter</b>  <b>**Back light Compensation (BLC),</b>  <b>**IR distance: 18-20m</b>  <b>**Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$99.50</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-7913</b> Color IR Dome Camera</p>		<p><b>**1/3" SONY CCD,</b>    <b>High Resolution 420 TVL</b>  <b>**0Lux/F=1.2Mini Illumination, IR Wave Lenth 850nm</b>    <b>**18 PCS Ø5 IR LEDs,</b>    <b>Infrared distance 20m</b>  <b>**Built-in Lens 6mm,</b>  <b>S/N Ratio more than 48db</b>  <b>**Shutter Speed 1/50(1/60)-1/100,000sec</b>  <b>**Power Supply DC 12V/300mA</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$79.00</b></p>	<p><b>KR COMPUTER</b></p>

<p><b>SEQ-5101</b> Color IR Dome Camera</p>		<p>** Color 1/4" PIXEL , High Resolution 480 TVL **Mini Illumination:1Lux/F2.0, **Built-in Lens 3.6mm, **Back Light Compensation(BLC) **Auto White Balance(AWB) **Shutter Speed 1/60-1/100,000Sec **Dimension(mm) : Φ 88 x 58(H) **Power Supply DC 12V/150mA</p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$101.50</b></p>	<p><b>KR</b>COMPUTER</p>
<p><b>SEQ-5502</b> PTZ Speed Dome camera</p>		<p>**Color 1/4" SHARP; High Resolution 620 TVL **Mini Illumination:1Lux/F2.0 **4-9mm dynamic varifocal lens **Pan range: 0°~360° Continue (Not 355° ) **Tilt range: 0°~90° Flip **Pan Speed: Max 50°/sec **Preset: 16 **RS485 control, Pelco D/P supported **Dimension(mm) :Ø125x185 **Power Supply DC12V 350mA</p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$259.00</b></p>	<p><b>KR</b>COMPUTER</p>
<p><b>SEQ-5402</b> Color IR 20M Dome Camera</p>		<p>**Color 1/3" SONY, High Resolution 620 TV Lines **Lens: 4-9mm Manual Zoom Lens **Mini Illumination:0.8Lux/F2.0 **21 IR LEDs, ** IR Distance:20M **Back Light Compensation(BLC) **Dimension(mm) :Ø149x99(H) **Power Supply DC12V 400mA</p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$279.00</b></p>	<p><b>KR</b>COMPUTER</p>
<p><b>SEQ-5302</b> Wired IP Dome Camera</p>		<p>**Sensor: CMOS, 1/4"; **Build-in Lens:6mm **Image resolution:VGA(640 x 480)/QVGA(320 x 240) **Image format: MJPEG; **Video format: AVI **Image transmission rate:NTSC:1-30 frames/sec **Image Monitor: Realtime **Support WIFI 802.11g/b **Motion detection: images sent out via alarm e-mails **Power Supply DC 12V/1A;</p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$185.00</b></p>	<p><b>KR</b>COMPUTER</p>
<p><b>SEQ-5501</b> Speed Dome camera</p>		<p>**Color 1/3" SONY, High Resolution 420TV Lines ** Lens:4-9mm dynamic varifocal lens **Mini Illumination:1Lux/F2.0 **Pan range: 0°~360° Continue (Not 355° ) **Tilt range: 0°~90° Flip **Pan Speed: Max 50°/sec **Preset: 16 **RS485 control, Pelco D/P supported **Dimension(mm) :Ø210x210 **Power Supply DC12V 800mA</p>	<p><b>Include Camera Adapter (cUL) &amp; 2 *Brackets</b></p>	<p><b>\$329.00</b></p>	<p><b>KR</b>COMPUTER</p>
<p><b>SEQDOME22</b> Speed Dome</p>		<p>**Middle speed dome w/ decoder integrated **Sony 1/3-inch chipset , High Resolution 520 TVL **22 times lens for digital zooming **PAN/TILT/ZOOM control</p>	<p><b>Include Camera Adapter (cUL)&amp; Bracket</b></p>	<p><b>\$575.00</b></p>	
<p><b>SEQ-4501</b> Speed Dome</p>		<p>**Middle speed dome w/ decoder integrated **Sony 1/4-inch chipset , High Resolution 480 TVL **27 times lens for digital zooming **PAN/TILT/ZOOM control</p>	<p><b>Include Camera Adapter (cUL)&amp; Bracket</b></p>	<p><b>\$595.00</b></p>	<p><b>KR</b>COMPUTER</p>
<b>Pan Tilt &amp; IP Camera</b>					
<p><b>SEQ-5301</b> Color IP Wired Camera</p>		<p>**1/4 CMOS,300,000 Pixels; **Build-in Lens: 3.6mm **Pan: 270°, Tilt: 120° ; **Real-time video capture **Image Compression Format: MJPEG **Motion Detect/Email Alarm/Night Vision **Minimum Illumination:0LUX **Video Format: AVI ; **Video Display : Microsoft Media Player **Bidirection audio, Quad System</p>	<p><b>Include Camera Adapter (cUL)&amp; Bracket</b></p>	<p><b>\$179.00</b></p>	<p><b>KR</b>COMPUTER</p>





<p><b>SEQ-5301W</b> Color IP Wi-Fi Camera</p>		<p><b>**1/4 CMOS,300,000 Pixels; **Build-in Lens: 3.6mm **Pan: 270°, Tilt: 120° ; **Real-time video capture MJPEG **Image Compression Format: Vision **Motion Detect/Email Alarm/Night Vision **Minimum Illumination:0LUX **Video Format: AVI ; **Wi-Fi **Video Display : Microsoft Media Player **Bidirection audio, Quad System</b></p>	<p><b>Include Camera Adapter (cUL)&amp; Bracket</b></p>	<p><b>\$209.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-608IR</b> Waterproof IP Color, IR 25M</p>		<p><b>**Sensor: CMOS, 1/4"; **Build-in Lens:6mm **Image resolution:VGA(640 x 480)/QVGA(320 x 240) **Image format:MJPEG; **Video format: AVI **Image transmission rate:NTSC:1-30 frames/sec **Image Monitor: Realtime **Both WAN &amp; LAN connection **Motion detection: automatic video capturing **Power Supply DC 12V/1A;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$245.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-5302</b> Wired IP Dome Camera</p>		<p><b>**Sensor: CMOS, 1/4"; **Build-in Lens:6mm **Image resolution:VGA(640 x 480)/QVGA(320 x 240) **Image format:MJPEG; **Video format: AVI **Image transmission rate:NTSC:1-30 frames/sec **Image Monitor: Realtime **Support WIFI 802.11g/b **Motion detection: images sent out via alarm e-mails **Power Supply DC 12V/1A;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$185.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-5502</b> PTZ Speed Dome camera</p>		<p><b>**Color 1/4" SHARP; High Resolution 420 TVL **Mini Illumination:1Lux/F2.0 **4-9mm dynamic varifocal lens **Pan range: 0°~360° Continue (Not 355° ) **Tilt range: 0°~90° Flip **Pan Speed: Max 50°/sec **Preset: 16 **RS485 control, Pelco D/P supported **Dimension(mm) :Ø125x185 **Power Supply DC12V 350mA</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$359.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQIPS506WS</b> + 4 *CM802CWAS</p>		<p><b>**1/3" Omni Vision CMOS, Built-in Lens: 6mm **High Resolution 380 TVL, Visual Angel: 45° **Image resolution:NTSC: VGA (640x480) **2 channels USB2.0port, max saving space:200-300G **Vedio I/O:4 wireless input CH w/video &amp; audio, 1 direct output channel **Motion detection supports uploading images to ftp &amp; email **Network:TCP/IP,FTP/SMTP/HTTP/ICMP/PPPoE **RS485 PAN/TILT/ZOOM control</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$379.00</b></p>	
<b>Hidden &amp; Spy Camera</b>					
<p><b>SEQ-6913</b> Smoke Detect Color Camera</p>		<p><b>** 1/3" SONY CCD , High Resolution 520 TVL **0.5Lux/F=1.2Mini Illumination **CS Lens Mount, Auto White Balance **S/N Ratio more than 48bd **Shutter Speed 1/50(1/60)-1/100,000sec</b></p>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$139.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-7113</b> Smoke Detect Color Camera</p>		<p><b>** 1/3" SONY CCD , High Resolution 420 TVL **1.0Lux/F=1.2Mini Illumination ** Auto White Balance ,S/N Ratio more than 48bd **Shutter Speed 1/50(1/60)-1/100,000sec **Power Supply DC 12V/150mA</b></p>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$139.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-5202</b> Smoke Detect Color Camera</p>		<p><b>**Color 1/4" SHARP, High Resolution 420 TVL **Lens:3.7mm Taper Pinhole Lens **1.0Lux/F2.0 Mini Illumination **Back Light Compensation(BLC) **Auto White Balance(AWB) **Dimension(mm) :Ø 86 x 53(H) **Power Supply DC12V 150mA</b></p>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$139.00</b></p>	<p><b>KRCOMPUTER</b></p>

<p><b>SEQ-MDVR02</b> Motion Detect Camera w/DVR</p>		<p><b>**Wide angle 1/4 inch CCD , High Resolution 420 TVL</b>    <b>**Build-in Lens:3.6mm</b>    <b>**Angular Field of View: 120° ;</b>    <b>**Range: up to 10M</b>  <b>**Night Vision: 8M ,</b>    <b>**Real-time monitor</b>  <b>**Built In Microphone</b> (Audio pickup within 3 Meters)    <b>**Auto Motion Detection Recording</b>  <b>**Memory:Internal:128MB External:SD card(max.1GB)</b></p>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$195.00</b></p>	
<p><b>SEQ-CM307CH</b> Motion Detect Camera</p>		<p><b>**1/4" Sharp CCD, **Build-in Lens:3.7mm</b>  <b>**High Resolution 420 TVL, **30 IR LEDs</b>  <b>**Minimum Illumination:1 Lux/F1.2</b>  <b>**Electronic Shutter: 1/50(1/60)~1/100,000sec</b>  <b>**Auto Gain Control (AGC) ** Auto LED Switch</b>  <b>**Power Supply DC 12V/500mA;</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$145.50</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-CM208CA</b> Spy Color Camera</p>		<p><b>**1/3" OmnVision CMOS, ** Build-in Lens:4mm</b>  <b>**High Resolution 380 TVL**Angular Field of View:45°</b>    <b>**Auto backlight compensation</b>    <b>**Auto gain control</b>    <b>**Auto electronic shutter</b>    <b>**Power Supply:DC 8V</b></p>	<p><b>Include Camera Adapter (cUL)</b></p>	<p><b>\$74.00</b></p>	
<b>DVR Systems</b>					
<p><b>SEQ-1700</b> 17"LCD with Built-in H.264 DVR System</p>		<ul style="list-style-type: none"> <li>● 17" TFT LCD DVR</li> <li>● High brightness: 300cd/m2, contrast ratio: 800: 1</li> <li>● Max.resolution: 1280 (H) x 1024 (V) pixels</li> <li>● 4 Channels real-time built-in DVR operating system</li> <li>● Remote real-time display and playback via internet</li> <li>● Mouse operation, Visit the monitor via IE browser</li> <li>● Frame rate: PAL-100FPS &amp; NTSC-120FPS</li> <li>● Video compression format: H.264</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$1290.00</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-1701</b> 17"LCD with Built-in MJPEG DVR System</p>		<ul style="list-style-type: none"> <li>● 17" TFT LCD DVR</li> <li>● High brightness: 300cd/m2, contrast ratio: 800: 1</li> <li>● Max.resolution: 1280 (H) x 1024 (V) pixels</li> <li>● 4 Channels real-time built-in DVR operating system</li> <li>● Remote real-time display and playback via internet</li> <li>● Mouse operation, Visit the monitor via IE browser</li> <li>● Frame rate: PAL-100FPS &amp; NTSC-120FPS</li> <li>● Video compression format: MJPEG</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$1190.00</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-8004H</b> H.264 4 CH Stand-Alone DVR</p>		<ul style="list-style-type: none"> <li>● Video Input/Output: BNC 4CH In/1CH BNC Out/1CH VGA Out</li> <li>● Preview resolution: 720 x 480 (NTSC );Playback resolution: 4 x CIF</li> <li>● Real time recording support: 120 Fps for NTSC at CIF image(100 Fps for PAL)</li> <li>● 2 SATA Hard Disk interface (Support 4TB in Total )</li> <li>● Backup: USB2.0, CDRW, DVDRW and Network</li> <li>● Multiple Recording/ Search Categories:Date/Time, Event, Manual, Schedule, alarm, motion detection</li> <li>● USB2.0 Mouse, Remote Control, PTZ, Camera, RS485 x 1, 1×IR Controller</li> <li>● VGA Interface output, Resolution: 800x600/60HZ, 1024x768/60HZ</li> <li>● Dimensions:(L×W×H) 350×272×58mm</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$289.00</b></p>	<p><b>KR COMPUTER</b></p>
<p><b>SEQ-8008H</b> H.264 8 CH Stand-Alone DVR</p>		<ul style="list-style-type: none"> <li>● Video Input/Output: BNC 8CH In/2CH BNC Out/1CH VGA Out</li> <li>● Preview resolution: 720 x 480 (NTSC );Playback resolution: 8 x CIF</li> <li>● Real time recording support: 240 Fps for NTSC at CIF image</li> <li>● 2 SATA Hard Disk interface (Support 4TB in Total )</li> <li>● Backup: USB2.0, CDRW, DVDRW and Network</li> <li>● Multiple Recording/ Search Categories:Date/Time, Event, Manual, Schedule, alarm, motion detection</li> <li>● USB2.0 Mouse, Remote Control, PTZ, Camera, RS485 x 1, 1×IR Controller</li> <li>● VGA Interface output, Resolution: 800x600/60HZ, 1024x768/60HZ</li> <li>● Dimensions:(L×W×H) 350×272×58mm</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$389.00</b></p>	<p><b>KR COMPUTER</b></p>

<p><b>SEQ-8016H</b> H.264 16 CH Stand-Alone DVR</p>		<ul style="list-style-type: none"> <li>● Video Input/Output: BNC 16CH In/2CH BNC Out/1CH VGA Out</li> <li>● Preview resolution: 720 x 480 (NTSC); Playback resolution: 16x CIF</li> <li>● Real time recording support: 480 Fps for NTSC at CIF image</li> <li>● 2 SATA Hard Disk interface (Support 4TB in Total)</li> <li>● Backup: USB2.0, CDRW, DVDRW and Network</li> <li>● Multiple Recording/ Search Categories: Date/Time, Event, Manual, Schedule, alarm, motion detection</li> <li>● USB2.0 Mouse, Remote Control, PTZ, Camera, RS485 x 1, 1x IR Controller</li> <li>● VGA Interface output, Resolution: 800x600/60HZ, 1024x768/60HZ</li> <li>● Dimensions: (L×W×H) 435×365×65mm</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$799.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-8004V</b> H.264 4CH Stand-Alone DVR</p>		<ul style="list-style-type: none"> <li>● Video I/O: BNC 4-CH in/2-CH out</li> <li>● MPEG4 compression &amp; network transmission</li> <li>● Display Frame Rate: NTSC: 120fps/4*30fps</li> <li>● Display Resolution: NTSC: 720*480</li> <li>● High-resolution playback picture quality</li> <li>● Audio recording available</li> <li>● Recording Time: NTSC: 107 hrs w/160GB HDD@60fps</li> <li>● Support hiding an appointed channel</li> <li>● Configurable record picture quality &amp; frame rate</li> <li>● Network: IE based monitoring</li> <li>● With remote control &amp; removable hard drive tray</li> <li>● Support PTZ control via built-in RS-485 port</li> <li>● Video loss alarm function</li> <li>● Support USB2.0/LAN/VGA/Network</li> <li>● Self-recovery after power reconnected</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$369.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-8009V</b> H.264 9CH Stand-Alone DVR</p>		<ul style="list-style-type: none"> <li>● Video I/O: BNC 9-CH in/1-CH out</li> <li>● MPEG4 compression &amp; network transmission</li> <li>● Display Frame Rate: NTSC: 270fps/9*30fps</li> <li>● Display Resolution: NTSC: 720*480</li> <li>● High-resolution playback picture quality</li> <li>● Audio recording available</li> <li>● Recording Time NTSC: 107 Hrs w/160GB HDD @60fps</li> <li>● Support hiding an appointed channel</li> <li>● Configurable record picture quality &amp; frame rate</li> <li>● Network: IE based monitoring</li> <li>● With remote control &amp; removable hard drive tray</li> <li>● Support PTZ control via built-in RS-485 port</li> <li>● Video loss alarm function</li> <li>● Support USB2.0/LAN/VGA/Network</li> <li>● Self-recovery after power reconnected</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$559.00</b></p>	<p><b>KRCOMPUTER</b></p>
<p><b>SEQ-1040</b> 4CH MJPEG Stand-Alone DVR with Network</p>		<ul style="list-style-type: none"> <li>● Embedded Linux operation system</li> <li>● 4 CH video / audio / alarm input,</li> <li>● Frame rate: PAL=100FPS &amp; NTSC=120FPS</li> <li>● MJPEG compression, Network connection</li> <li>● PTZ function, Motion detection</li> <li>● 1 IDE port for maximum 300GB HDD (SATA/IDE Optional)</li> </ul>	<p><b>Include Camera Adapter (UL)</b></p>	<p><b>\$270.00</b></p>	<p><b>KRCOMPUTER</b></p>
<b>DVR Cards</b>					
<p><b>DGP-988AVP</b></p>		<ul style="list-style-type: none"> <li>● H.264 4CH w/Video, Max.24 channels video recording at one PC; 30FPS w/Audio/CH</li> <li>● Support onboard VGA card (i915, 945, 965)</li> <li>● motion diction (red zone), alarm trigger recording and schedule recording</li> <li>● Support PAL/NTSC video cameras, display resolution up to 704*576</li> <li>● Support PTZ, and can add new protocol when require</li> </ul>		<p><b>\$145.00</b></p>	

<b>DGP-9816AVP</b>		<ul style="list-style-type: none"> <li>●H.264 8CH w/Video, Max.24 channels video recording at one PC, 30FPS w/audio/CH</li> <li>●Support onboard VGA card (i915, 945, 965)</li> <li>●motion diction (red zone), alarm trigger recording and schedule recording</li> <li>●Support PAL/NTSC video cameras, display resolution up to 704*576</li> <li>●Support PTZ, and can add new protocol when require</li> </ul>		<b>\$185.00</b>	
<b>DGP-988AVP-A</b>		<ul style="list-style-type: none"> <li>●H.264 4CH, Max.24 channels audio &amp; 24 channels video recording at one PC:30FPS w/Audio/CH</li> <li>●Support onboard VGA card (i915, 945, 965)</li> <li>●Motion diction (red zone), alarm trigger recording and schedule recording</li> <li>●Support PAL/NTSC video cameras, display resolution up to 704*576</li> <li>●Support PTZ, and can add new protocol when require</li> </ul>		<b>\$135.00</b>	
<b>DGP-9816AVP-A</b>		<ul style="list-style-type: none"> <li>●H.264 8CH, Max. 24 channels audio &amp; 24 channels video recording at one PC, 30FPS w/audio/CH</li> <li>●Support onboard VGA card (i915, 945, 965)</li> <li>●motion diction (red zone), alarm trigger recording and schedule recording</li> <li>●Support PAL/NTSC video cameras, display resolution up to 704*576</li> <li>●Support PTZ, and can add new protocol when require</li> </ul>		<b>\$385.00</b>	
<b>DGP-6104A</b>		<ul style="list-style-type: none"> <li>●H.264 4 Video &amp; 1Audio ; Display &amp; playback:30FPS</li> <li>●Max.9 cards One Pc 36 CH</li> <li>●ADC chip rate:10bit</li> <li>●Support LAN/Alarm/PTZ</li> <li>●Support Win2000, 2003,Xp, Vista system/Multi-language</li> </ul>		<b>\$89.50</b>	<b>KRCOMPUTER</b>
<b>DGP-6416A</b>		<ul style="list-style-type: none"> <li>●H.264 16Video &amp; 4Audio; Display &amp; playback:120FPS</li> <li>●Max.2 cards One Pc 36 CH</li> <li>●ADC chip rate:10bit</li> <li>●Support LAN/Alarm/PTZ</li> <li>●support Win2000, 2003,Xp, Vista system/Multi-language</li> </ul>		<b>\$235.00</b>	<b>KRCOMPUTER</b>
<b>SEQ-601WD</b>		<ul style="list-style-type: none"> <li>●USB 2.0 interface, transmission rate up to 480Mpit/s</li> <li>●Display size 720×576/30 frames/s</li> <li>●Signal-to-Noise &gt;48dB</li> <li>●Lens F1.8/f7.85      ●Focalize spectrum 80mm to limitless</li> <li>●View angle ~50°</li> <li>●Microphone Built-in, &lt;-60dB</li> </ul>		<b>\$125.00</b>	

### CCTV Accessories

<b>SEQ-XZJW</b>		<ul style="list-style-type: none"> <li>**Camera Bracket    ** White Color    Rack</li> <li>**Dimensions(mm): 57x42x42</li> </ul>		<b>\$15.00</b>	
<b>SEQ-702D</b>		<ul style="list-style-type: none"> <li>**Camera Bracket    ** White Color    Rack</li> <li>**Dimensions(mm): 80x35x75</li> </ul>		<b>\$16.00</b>	
<b>SEQ-702X</b>		<ul style="list-style-type: none"> <li>**Camera Bracket    ** White Color    Rack</li> <li>**Dimensions(mm): 70x25x55</li> </ul>		<b>\$16.00</b>	
<b>SEQ-ZJW</b>		<ul style="list-style-type: none"> <li>**Camera Bracket    ** White Color    Rack</li> <li>**Dimensions(mm): 180x70x40</li> </ul>		<b>\$16.00</b>	

SEQ-DZJY		**Camera Bracket ** White Color Rack **Dimensions(mm): 170x80x55		\$27.00	
SEQ-606D		**Camera Bracket ** Silver Color Rack **Dimensions(mm): 130x55x55		\$26.00	
SEQ-3001		**Dome Camera Bracket ** Silver Color **Dimensions(mm): 180x140x130		\$29.50	KR COMPUTER
SEQ-FHZX		Camera Shield **Dimensions(mm): 270x93x83		\$42.00	
SEQ-HFZD		Camera Shield **Dimensions(mm): 350x120x160		\$44.00	
SEQ-5601		**Build in auto temperature control **IR working distance 40m **Side turn-over design **Vandalproof toughened glass **Suitable for box cameras and all in one cameras **Weight: 2.8kgs		\$279.00	KR COMPUTER
SEQ-1009		9 Channel Special Power Supply		\$149.00	KR COMPUTER
SEQ-1016		16 Channel Special Power Supply		\$185.00	KR COMPUTER
SEQ-QHQ4		4 Channel Real Time Channel Switcher		\$123.00	
SEQ-QHQ8		8 Channel Real Time Channel Switcher		\$172.00	
SEQ-FGQ4		4 Channel Processor with Alarm port plus remote		\$177.00	

SEQ-FGQ8		8 Channel Processor with Alarm port plus remote		\$229.00	
SEQ-1003DC		DC Male cable to DC open Connector, 25mm		\$2.15	KRCOMPUTER
SEQ-3902		PTZ Controller with Remote Design for PTZ Cameras		\$82.00	KRCOMPUTER
SEQ-3901		**2D (P/T) Intelligent Keyboard for Speed Dome Camera **RS-485 Control Smartly and freely Control the speed dome and zoom camera **Max. control distance: 1200m **Power supply:DC12±1V/1A		\$345.00	KRCOMPUTER
SEQ-1001		Power Adapter DC12V 500MA w/cULus		\$12.95	KRCOMPUTER
SEQ-1002		Power Adapter DC12V 1A w/cULus		\$16.50	KRCOMPUTER
<b>Security Camera Cables</b>					
SEQ2050		50 FT Cable w/BNC+Power Connector BNC Male+DC5.5*2.1 Male to BNC Male+ DC5.5*2.1 Female 22AWG 2C+B OD0.5		\$32.50	KRCOMPUTER
SEQ2075		75 FT Cable w/BNC+Power Connector BNC Male+DC5.5*2.1 Male to BNC Male+ DC5.5*2.1 Female 22AWG 2C+B OD0.5		\$44.50	KRCOMPUTER
SEQ2100		100 FT Cable w/BNC+Power Connector BNC Male+DC5.5*2.1 Male to BNC Male+ DC5.5*2.1 Female 22AWG 2C+B OD0.5		\$57.50	KRCOMPUTER
SEQ2150		150 FT Cable w/BNC+Power Connector BNC Male+DC5.5*2.1 Male to BNC Male+ DC5.5*2.1 Female 22AWG 2C+B OD0.5		\$72.23	

<b>SEQ2200</b>		200 FT Cable w/BNC+Power Connector BNC Male+DC5.5*2.1 Male to BNC Male+ DC5.5*2.1 Female 22AWG 2C+B OD0.5		<b>\$99.50</b>	
<b>SEQ2050A</b>		50 FT Cable w/RCA/Audio/Power Connector 2RCA Male+DC5.5*2.1 Male to 2 RCA Male+ DC5.5*2.1 Female cable		<b>\$44.95</b>	
<b>SEQ2075A</b>		75 FT Cable w/RCA/Audio/Power Connector 2RCA Male+DC5.5*2.1 Male to 2 RCA Male+ DC5.5*2.1 Female cable		<b>\$62.50</b>	<b>KRCOMPUTER</b>
<b>SEQ2100A</b>		100 FT Cable w/RCA/Audio/Power Connector 2RCA Male+DC5.5*2.1 Male to 2 RCA Male+ DC5.5*2.1 Female cable		<b>\$86.50</b>	
<b>SEQ2150A</b>		150 FT Cable w/RCA/Audio/Power Connector 2RCA Male+DC5.5*2.1 Male to 2 RCA Male+ DC5.5*2.1 Female cable		<b>\$119.50</b>	
<b>SEQ2100W</b>		100 FT Cable w/DC+BNC+RCA Connector		<b>\$79.50</b>	<b>KRCOMPUTER</b>
<b>RG59-211000</b>		1000FT RG59 Cable 60% Braid w/reel in Box (Black or White)		<b>\$139.95</b>	
<b>RG59+2DC-21500</b>		500 Ft with 2 Power Cable (Black) 60% Braid in Box (Black or White)		<b>\$169.95</b>	